



## Standard Treatment Workflow (STW)

### PSORIASIS

#### ICD-10-L40

##### \*GENERAL PRINCIPLES OF MANAGEMENT

- Establish the diagnosis
  - Usually clinical and by bed side tests (Auspitz sign, Grattage test)
  - If in doubt, refer to higher centre for evaluation & skin biopsy
  - Assess for psoriatic arthritis and metabolic syndrome (obesity, dyslipidemia, diabetes, hypertension)
  - Counsel about variable natural course of disease and expected treatment outcome, and lifestyle modifications (including weight reduction, avoidance of smoking and alcohol)
  - Assess for requirement of systemic treatment, in addition to topical treatment
  - Advise regular use of emollients/ moisturizers. Antihistamines if pruritic
  - Avoid Methotrexate and Cyclosporine A in children scheduled for live vaccines
  - Rule out tuberculosis, HIV, Hepatitis B and C infections before systemic immunosuppressive treatment
  - Pregnancy test-prior to systemic therapy (Acitretin avoided in child bearing age group)
  - Systemic steroids should not be given for the treatment of psoriasis, except for generalized pustular psoriasis of pregnancy
  - If first-line treatment options fail or are contraindicated, refer to tertiary care center for combination. Baseline investigations to be carried out
- These principles should be used only as a general guide to choose a treatment; final decision should be made on case-to-case basis

##### TREATMENT OVERVIEW

###### TOPICAL THERAPY {<5% BODY SURFACE AREA (BSA)}

- Moisturizers like white soft paraffin
  - Topical corticosteroids, Tacrolimus ointment, Tazarotene, Calcipotriol, Coal tar, Dithranol, Salicylic acid combinations
- ###### PHOTOTHERAPY (>5% BSA/ PALMOPLANTAR PSORIASIS)
- Narrow band UVB, Targeted phototherapy, Topical/systemic PUVA or Psoralens with sunlight (PUVAsoI)
- ###### SYSTEMIC THERAPY (>5% BSA/ SEVERE RECALCITRANT DISEASE/ PALMOPLANTAR PSORIASIS/ ARTHRITIS)
- Methotrexate/ Cyclosporine A/ Retinoids-isotretinoin (may be preferred in adolescent girls), Acitretin/ oral antibiotics (guttate psoriasis)/ novel small molecules
  - Resistant cases- Biologics

##### VARIANTS OF PSORIASIS

##### PLAQUE PSORIASIS

##### GUTTATE PSORIASIS

##### PALMOPLANTAR PSORIASIS

##### ERYTHRODERMIC PSORIASIS

##### PUSTULAR PSORIASIS

##### PLAQUE PSORIASIS

Erythematous plaques with silvery white scales

##### LIMITED PLAQUE PSORIASIS (< 5%)

###### PRIMARY/ SECONDARY LEVEL

- Face and flexures - 1% Hydrocortisone/ low potency steroid cream OD for 2 weeks
- Trunk and extremities - Betamethasone cream (or any other potent steroid, preferably with Salicylic acid 3-6%) OD for 2-4 weeks
- Other topical treatment as listed in treatment overview

###### TERTIARY LEVEL

- Continue with topical therapy
- If the patient does not respond in 6-8 weeks, try alternate topical agents and/ or systemic therapy or NB UV-B/ PUVA/ PUVAsoI



##### GENERALIZED PLAQUE PSORIASIS

###### REFER TO GENERAL PRINCIPLES OF MANAGEMENT PREFERABLY TO BE MANAGED AT HIGHER CENTRE

- Systemic treatment- refer to treatment overview
- If these fail or are contraindicated, refer to tertiary level for combination or rotational therapy/ novel small molecules/ biologics

- Continue emollients
- Avoid irritants & prolonged use of topical steroids

- Scalp- Tar based shampoo and topical steroids +/- salicylic acid lotions

##### GUTTATE PSORIASIS

###### CLINICAL FEATURES

- Shower of numerous erythematous papules < 1 cm on the trunk and extremities
- Seen more commonly in younger patients

###### TREATMENT

###### REFER TO GENERAL PRINCIPLES OF MANAGEMENT\*

###### Primary health centre/Level

- Antibiotics for streptococcal infection

###### Secondary Level

- Same as primary level care
- Psoralen ultraviolet A Solar (PUVAsoI)

###### Tertiary Level

- Same as primary level care
- Narrow band UVB
- Refractory cases- consider systemic treatments including novel small molecules



##### PALMOPLANTAR PSORIASIS

Chronic erythematous well defined plaques symmetrically on palms and soles, and occasional nail involvement to be differentiated from palmoplantar eczema

###### REFER TO GENERAL PRINCIPLES OF MANAGEMENT\*

###### PRIMARY HEALTH CENTER

- Topical petrolatum at least twice daily
- Add antibiotics if signs of infection
- Potent steroid-salicylic acid combination Refer to higher center if not responding in 6-8 weeks

###### SECONDARY CARE HOSPITAL AND TERTIARY CARE HOSPITAL

- In addition to those treatment prescribed at primary care
- Tar based applications/ steroid-salicylic acid with occlusion (if very thick plaques) for 2-4 weeks
- Phototherapy- Hand and foot NB UV-B/ PUVA soaks
- Systemic therapy - refer to treatment overview



##### ERYTHRODERMIC PSORIASIS

##### PUSTULAR PSORIASIS

###### CLINICAL FEATURES

- Generalised erythema and scaling involving >90% of the BSA
- Triggered by withdrawal of systemic corticosteroids/ potent topical steroids or HIV infection
- Common D/D- dermatitis, drug reactions, pityriasis rubra pilaris, idiopathic erythroderma



###### CLINICAL FEATURES

- Crops of localized or generalised sterile pustules and lakes of pus with surrounding erythema, often associated with fever
- In pregnancy- presents as impetigo herpetiformis, may lead to intrauterine growth retardation or still birth



###### GENERAL MANAGEMENT AT PRIMARY CARE

- Stabilize patient & treat secondary infection
- Maintain temperature/ fluid and electrolyte balance
- Admit if febrile & unstable vitals

- High protein diet
- Lab investigations: Complete Hemogram, Liver & Kidney Function test
- Refer to higher center for specific management

###### SPECIFIC MANAGEMENT

- Skin biopsy, if in doubt
- Methotrexate or Cyclosporine A
- Maintenance- Acitretin/ NB UVB/ PUVA
- If patient fails to respond, consider biologics

###### SPECIFIC MANAGEMENT

- Assess patient
- Take drug history (particularly Beta-lactams, Macrolides, Calcium channel blockers) to rule out acute generalized exanthematous pustulosis
- Generalized pustular psoriasis - admit the patient and follow general measures as for psoriatic erythroderma
- In addition to blood tests as listed previously, serum calcium (patients may have hypocalcemia) should also be estimated
- Acitretin/ Methotrexate/ Cyclosporine

##### PSORIASIS IS COMPLETELY TREATABLE BUT HAS A CHRONIC COURSE